									Ennancements						
Code	Resource Concern	Resource Concern Cause	Crop (Annual and Mixed) Crop (Porganial)	Pasture	Range	Forest	Ag Land	Full Enhancement Name	Enhancement Description Brush management is employed to create a desired plant community, consistent with the related	Units	Enhancement Lifespan	Max years enh. can be contracted	Suitable for land Hee	Montana Supplemental Information - Refer Questions to NRCS Area and State Discipline Leads.	Changes from 2020 to 2021; Highlighted blocks delienate new changes with red font indicating the change.
E314A	PLANTS; ANIMALS	Plant Structure and Composition, Plant Pest Pressure; Terrestrial Habitat for Wildlife and Invertebrates Plant Productivity and Health,		х	х	х	х	Brush management to improve wildlife habitat	ecological site steady state, which will maintain or enhance the wildlife habitat desired for the identified wildlife species. It will be designed to provide plant structure, density and diversity needed to meet those habitat objectives. This enhancement does not apply to removal of woody vegetation by prescribed fire or removal of woody vegetation to facilitate a land use change.	acre	1	3		Supplemented. Also use MT CPS 314 standard, specification and jobsheet, and Biology Technical Note MT-19 (Rev. 4) Wildlife Habitat Evaluation Guides for NA Montana for species of concern.	Enhancment lifespan changed to one year, max years for contracting changed to 3
E315A	PLANTS	Plant Structure and Composition, Plant Pest Pressure		х	х	х	х	Herbaceous weed treatment to create desired plant communities consistent with the ecological site	Mechanical, chemical, or biological, herbaceous weed treatment will be used to control targeted, herbaceous weeds to create, release, or restore desired plant communities that are consistent with achievable, ecological site, steady state descriptions.	acre	1	3		NA Supplemented.	Enhancment lifespan changed to one year, max years for contracting changed to 3
E327A	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	хх			х	x x	Conservation cover for pollinators and beneficial insects	Seed or plug nectar and pollen producing plants in non-cropped areas such as field borders, vegetative barriers, contour buffer strips, grassed waterways, shelterbelts, hedgerows, windbreaks, conservation cover, and riparian forest and herbaceous buffers.	, acre	5	1		NA Use Biology Tech Notes MT-20 Creating and Enhancing Habitat for Pollinator Insects and MT-32 Native Pollinators - Fish and Wildlife Habitat Management Leaflet 34 for plants suitable for pollinator and beneficial insect habitat which emphasizes as many native species as practical.	
E327B	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	x x				x x	C Establish Monarch butterfly habitat	Seed or plug milkweed (Asclepias spp.), and high-value monarch butterfly nectar plants on marginal cropland, field borders, contour buffer strips, and similar areas.	acre	5	1		Use Biology Tech Notes MT-20 Creating and Enhancing Habitat for Pollinator Insects, MT-15 Butterflies (Order: Leipdoptera) - Fish and Wildlife Habitat Management Leaflet 15 for larval host plants and nectar plants suitable for Monarch butterfly. Use Biology Tech Note MT-19 Wildlife Habitat Evaluation Guides for Montana for species of concern - Monarch butterfly.	
E328A	SOIL; PLANTS	Sheet and Rill Erosion; Wind Erosion; Organic Matter Depletion; Compaction; Plant Pest Pressure; Soil Organism Habitat Loss or Degradation; Aggregate Instability	х					Resource conserving crop rotation	Establish a Resource Conserving Crop Rotation. Rotation must include AT LEAST one resource conserving crop as determined by the State Conservationist in a minimum three year crop rotation. The crop rotation will reduce soil erosion (water and wind), improve soil health, improve soil moisture efficiency, and reduce plant pest pressures.	acre	1	5		NA Refer to list of resource conserving crops on Montana NRCS CSP web page.	
E328B	SOIL; PLANTS	Sheet and Rill Erosion; Wind Erosion; Organic Matter Depletion; Compaction; Plant Pest Pressure; Soil Organism Habitat Loss or Degradation; Aggregate Instability	x					Improved resource conserving crop rotation	Improve an existing Resource Conserving Crop Rotation. Must enrich an existing rotation which already includes AT LEAST one resource conserving crop as determined by the State Conservationist in a minimum three year crop rotation. The crop rotation will reduce soil erosion (water and wind), improve soil health, improve soil moisture efficiency, and reduce plant pest pressures.	acre	1	5		NA Refer to list of resource conserving crops on Montana NRCS CSP web page.	
E328C	SOIL	Sheet and Rill Erosion, Wind Erosion	х					Conservation crop rotation on recently converted CRP grass/legume cover	Implement a crop rotation management system on crop land acres that have recently converted from CRP grass/legume conservation cover to annual planted crops. Crop rotation minimizes disturbance resulting in a Soil Tillage Intensity Rating (STIR) less than 10 and reduces soil erosion from water and wind to below soil tolerance (T) level. The current NRCS wind and water erosion prediction technologies must be used to document the rotation, soil erosion estimate, and STIR calculations. *This enhancement is limited to acres where the conversion event took place not more than 2 years prior. Enhancement not applicable on hayland.	acre	1	5		NA .	
E328D	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	х					Leave standing grain crops unharvested to benefit wildlife	Implement a crop rotation which allows a portion of grain crops to be left in fields un-harvested to provide food and cover for wildlife during winter months.	acre	1	5		Supplemented. Use Biology Tech Note MT-19 Wildlife Habitat Evaluation Guides fo NA Montana for species of concern.	
E328E	SOIL	Organic Matter Depletion; Soil Organism Habitat Loss or Degradation; Aggregate Instability	x					Soil health crop rotation	Implement a crop rotation which addresses all four principle components of soil health: increases diversity of the cropping system; maintains residue throughout the year; keeps a living root; and minimizes soil chemical, physical and biological disturbance. The rotation will include at least 4 different crop and/or cover crop types (crop types include cool season grass, warm season grass, cool season broadleaf, warm season broadleaf) grown in a sequence that will produce a positive trend in the Organic Matter (OM) sub factor value over the life of the rotation, as determined by the Soil Conditioning Index (SCI). The current NRCS wind and water erosion prediction technologies must be used to document the rotation and SCI calculations.	acre	1	5		Supplemented. Refer to CPS 340 standard, specification and job sheet for high residue crops and options to maximize living root systems. Use climatic data in eFOTG Section II to determine available growing days and period of no growth.	

FY 2020 Page 1 of 15

								Limancements						
Code	Resource Concern	Resource Concern Cause	Crop Annual and Mixed) Crop Perennial)	ange	-orest	Associated Ag Land armstead	Full Enhancement Name	Enhancement Description	Units	ncement Lifesp	Max years enh. can be contracted		ana Supplemental Information - Refer Questions to NRCS Area and State Jline Leads.	Changes from 2020 to 2021; Highlighted blocks delienate new changes with red font indicating the change.
E328F	SOIL	Organic Matter Depletion; Soil Organism Habitat Loss or Degradation; Aggregate Instability	x				Modifications to improve soil health and increase soil organic matter	Use of soil health assessment to evaluate impact of current conservation crop rotation in addressing soil organic matter depletion (primary assessment made in Year 1). Modifications to the crop rotation and/or crop management will be made as a result of the assessment results (adding a new crop and/or cover crop to the rotation; making changes to planting and/or tillage system, harvest timing of crops, or termination timing of cover crops). During Year 3 a follow up assessment will be completed to allow time for the modifications to show increased soil organic matter. Modified system must produce a positive trend in the Organic Matter (OM) sub factor value over the life of the rotation, as determined by the Soil Conditioning Index (SCI). The current NRCS wind and water erosion prediction technologies must be used to document the rotation and SCI calculations.	acre	1	5	NA		
E328G	SOIL	Organic Matter Depletion; Soil Organism Habitat Loss or Degradation; Aggregate Instability	x					Crop rotation on acres converted, no more than 2 years prior, from CRP grass/legume cover to annual crops. Diverse rotation with living roots and residue cover throughout year and minimal disturbance. Enhancement not applicable on hayland.	acre	1	5	NA residu	emented. Refer to CPS 340 standard, specification and job sheet for high ue crops and options to maximize living root systems. Use climatic data in 3 Section II to determine available growing days and period of no growth.	
E328H	SOIL	Concentration of Salts and other Chemicals	x .				Conservation crop rotation to reduce the concentration of salts	Implement a crop rotation to reduce the concentration of salts and other chemicals from saline seeps. The rotation should include at least 3 crops and/or cover crops grown in a sequence in the recharge areas of saline seeps that have rooting depths and water requirements adequate to fully utilize all available soil water. Do not use summer fallow. Use an approved water balance procedure to determine crop selection and sequence. Select crops with a tolerance to salinity levels that match the salinity of the discharge area. (See state lists)	acre	1	5	Refer	to CPS 340 job sheet in eFOTG for list of salt tolerant crops with rooting is and water requirements adequate to use all available soil water.	
E328I	WATER	Nutrients Transported to Surface Water	x x				Forage harvest to reduce water quality impacts by utilization of excess soil nutrients	Establish a forage crop (single species or mix) following a primary annual crop to take up excess soil nutrients. Select forage known to effectively utilize and scavenge nutrients. Forage shall be harvested for forage, but not be grazed or burned.	acre	1	1	NA crops	emented. Refer to CPS 340 standard, specification and job sheet for forage known to effectively utilize and scavenge nutrients and options to maximize ent uptake in local climate and cropping systems.	
E328J	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	х				Improved crop rotation to provide benefits to pollinators	Improve the existing crop rotation by adding pollinator friendly crops into the rotation. The crop rotation shall include a minimum of three different crops in a minimum five year crop rotation. Each year, the pollinator friendly crop will be planted on a minimum of 5% of cropland acres contained within the agricultural operation. Use of insecticides is limited for the pollinator friendly crop.	acre	1	5		emented. Use Biology Tech Notes MT-20 Creating and Enhancing Habitat for ator Insects for pollinator friendly crops.	
E328K	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	x				Multiple crop types to benefit wildlife	Alternating crops in a systematic arrangement of strips across a field to provide diverse rotations of crops that provide wildlife food. At least two crops will be planted in adjacent strips a minimum of 0.5 acres in size.	acre	1	5	1	emented. Use Biology Tech Note MT-19 Wildlife Habitat Evaluation Guides for ana for species of concern.	
E328L	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	x				Leaving tall crop residue for wildlife	Fields may be harvested but must leave crop residue standing a minimum of 14 inches. Residue will be left through winter and into spring, providing valuable winter cover and forage for wildlife spanning late summer and through the following winter.	acre	1	5		emented.	New Enhancement for FY 2021
E328M	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	х				Diversify crop rotation with canola or sunflower to benefit pollinators	Add canola or sunflower to existing crop rotation on minimum of 5% of cropland acres each year. No systemic pesticides allowed. Only pesticide application on canola or sunflower during pre- bloom and bloom following integrated pest management and industry best management practices.	acre	1	5	NA Supple	emented. Use Biology Tech Note MT-20 (Rev 9) Creating and Enhancing at for Pollinator Insects for pollinator friendly crops.	New Enhancement for FY 2021
E329A	SOIL	Sheet and Rill Erosion; Wind Erosion	х				No till to reduce soil erosion	Establish no till system to reduce sheet and rill and wind erosion soil loss. Field(s) must have a soil loss at or below the soil tolerance (T) level for water and wind erosion for the crop rotation and a Soil Tillage Intensity Rating (STIR) of no greater than 10 for each crop in the planned rotation. The current NRCS wind and water erosion prediction technologies must be used to calculate soil loss and STIR.		1	5	NA		
E329B	AIR	Emissions of Particulate Matter (PM) and PM Precursors	x				No till to reduce tillage induced particulate matter	Establish no till system to reduce tillage induced particulate matter. Field(s) must have a soil loss at or below the soil tolerance (T) level for the crop rotation and a Soil Tillage Intensity Rating (STIR) of no greater than 10 for each crop in the planned rotation. The current NRCS wind and water erosion prediction technologies must be used to document soil loss and STIR calculations.	acre	1	5	NA		

FY 2020 Page 2 of 15

									Linancements						
Code	Resource Concern	Resource Concern Cause	Crop (Annual and Mixed) Crop	Pasture	Kange	Associated	Ag Land Farmstead	Full Enhancement Name	Enhancement Description	Units	Enhancement Lifespan	Max years enh. can be contracted	Suitable for Land Use Conversion	Montana Supplemental Information - Refer Questions to NRCS Area and State Discipline Leads.	Changes from 2020 to 2021; Highlighted blocks delienate new changes with red font indicating the change.
E329C	WATER	Inefficient Irrigation Water Use; Naturally Available Moisture Use	х					No till to increase plant-available moisture	Establish a no till system to increase plant-available moisture. Each crop in the crop rotation shall have a Soil Tillage Intensity Rating (STIR) of no greater than 20. The current NRCS wind and water erosion prediction technologies must be used to document STIR calculations. Maintain a minimum 60 percent surface residue cover throughout the year to reduce evaporation from the soil surface.	acre	1	5	NA		
E329D	SOIL	Organic Matter Depletion; Soil Organism Habitat Loss or Degradation; Aggregate Instability	х					No till system to increase soil health and soil organic matter content	Establish a no till system to increase soil health and soil organic matter content. Each crop in the crop rotation shall have a Soil Tillage Intensity Rating (STIR) of no greater than 20. The crop rotation must achieve a soil conditioning index (SCI) of zero or higher. The current NRCS wind and water erosion prediction technologies must be used to document STIR and SCI calculations. Residue shall not be burned, grazed, or harvested.	acre	1	5	NA		
E329E	ENERGY	Energy Efficiency of Farming/Ranching Practices and Field Operations	х					No till to reduce energy	Establish a no till system which reduces total energy consumption associated with field operations by at least 25% compared to current tillage system (benchmark). Each crop in the crop rotation shall have a Soil Tillage Intensity Rating (STIR) of no greater than 20. The current NRCS wind and water erosion prediction technologies must be used to document STIR calculations and energy consumption.	acre	1	5	NA		
E338B	PLANTS, ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates; Feed and Forage Imbalance			>	ĸ		Short-interval burns to promote a healthy herbaceous plant community	The controlled use of fire is applied in a forest to restore fire-adapted plants while improving wildlife habitat, wildlife food supply, and reducing the risk of damage from intense, severe wildfires. The ideal interval between prescribed burns is not often achieved. To improve the effectiveness of prescribed burning, the frequency of prescribed burning is increased appropriately, for a specified time period, to help restore ecological conditions in forests and woodlands. Short return interval prescribed burning is used to regenerate desirable tree species, improve the condition of fire-adapted plants and native herbaceous vegetation, improve wildlife food supply, create wildlife habitat (snags and den/cavity trees), limit encroachment of competing vegetation including non-native species, and reduce the future risk of damage from intense, severe wildfires.		1	5	NA	Supplemented. Also refer to MT CPS 338 standard, specification and job sheet.	Plant Resource Concern added.
E338C	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates)	κ		Sequential patch burning	Conduct prescribed burning beneath a forest canopy (ground fire), burning a portion of the area each year to create a mosaic of vegetation in several stages of development, to provide a more diverse understory and contribute to wildlife habitat. The health of conifer and oak-conifer forests particularly longleaf pine with a characteristic herbaceous understory, is dependent on fire or another means of controlling encroaching woody vegetation. A healthy longleaf or shortleaf pine, or pine-oak forest, can support a wide array of wildlife including pollinators and several endangered or threatened species.	acre	1	5	NA	Supplemented. Use Biology Technical Note MT-19 (Rev. 4) Wildlife Habitat Evaluation Guides for Montana for species of concern.	
E340A	SOIL	Sheet and Rill Erosion; Wind Erosion	x x					Cover crop to reduce soil erosion	Cover crop added to current crop rotation to reduce soil erosion from water and wind to below soil tolerance (T) level. Cover crops grown during critical erosion period(s). Species are selected that will have physical characteristics to provide adequate erosion protection.	acre	1	5	NA	Use CPS 340 job sheet for list of approved cover crop species for water or wind erosion protection and guidance in eFOTG on local climates and cropping systems.	
E340B	SOIL	Organic Matter Depletion; Soil Organism Habitat Loss or Degradation; Aggregate Instability	x					Intensive cover cropping to increase soil health and soil organic matter content	Implementation of cover crop mix to provide soil coverage during ALL non-crop production periodin an annual crop rotation. Cover crop shall not be harvested or burned. Planned crop rotation including cover crops and associated management activities must achieve a soil conditioning index (SCI) of zero or higher. The current NRCS wind and water erosion prediction technologies must be used to document SCI calculations.		1	5	NA	Use CPS 340 job sheet for list of approved cover crop species and guidance in eFOTG on local climates and cropping systems.	
E340C	SOIL	Organic Matter Depletion; Soil Organism Habitat Loss or Degradation; Aggregate Instability	x x					Use of multi-species cover crops to improve soil health and increase soil organic matter	Implement a multi-species cover crop to add diversity and increase biomass production to improve soil health and increase soil organic matter. Cover crop mix must include a minimum of 4 different species. The cover crop mix will increase diversity of the crop rotation by including crop types currently missing, e.g. Cool Season Grass (CSG), Cool Season Broadleaves (CSB), Warm Season Grasses (WSG), Warm Season Broadleaves (WSB).		1	5	NA	Use CPS 340 job sheet for list of approved cover crop species and guidance in eFOTG on local climates and cropping systems.	
E340D	SOIL	Organic Matter Depletion; Soil Organism Habitat Loss or Degradation; Aggregate Instability	х					Intensive orchard/vineyard floor cover cropping to increase soil health	Implement orchard or vineyard floor cover crops. Cover crop shall not be harvested, grazed, or burned. Must achieve a soil conditioning index of zero or higher and produce a positive trend in the Organic Matter subfactor over the life of the rotation.	acre	1	5	NA	Use CPS 340 job sheet for list of approved cover crop species and guidance in eFOTG on local climates and cropping systems.	
E340E	SOIL	Organic Matter Depletion; Soil Organism Habitat Loss or Degradation; Aggregate Instability	x					Use of soil health assessment to assist with development of cover crop mix to improve soil health	Soil health assessment (year 1) to evaluate current crop rotation in addressing soil organic matter depletion. Results are utilized to select a multi-species cover crop mix to add to the current crop rotation. Follow up assessment completed (year 3).	acre	1	5	NA	Use CPS 340 job sheet for list of approved cover crop species and guidance in eFOTG on local climates and cropping systems.	

FY 2020 Page 3 of 15

									Ennancements						
Code	Resource Concern	Resource Concern Cause	Crop (Annual and Mixed)	(Perennial)	Range	Forest	Associated Ag Land	Full Enhancement Name	Enhancement Description	Units	Enhancement Lifespan	Max years enh. can be contracted	Suitable for Land Use Conversion	Montana Supplemental Information - Refer Questions to NRCS Area and State Discipline Leads.	Changes from 2020 to 2021; Highlighted blocks delienate new changes with red font indicating the change.
E340F	SOIL	Compaction	х	х				Cover crop to minimize soil compaction	Establish a cover crop mix that includes plants with both fibrous root and deep rooted systems. Fibrous to treat and prevent both near surface (0-4") and deep (>4") soil compaction and deep rooted to break up deep compacted soils. Cover crop shall not be harvested, grazed, or burned.	acre	1	5	NA	Use CPS 340 job sheet for list of approved cover crop species for soil compaction reduction and guidance in eFOTG on local climates and cropping systems.	
E340G	WATER	Nutrients Transported to Surface Water; Nutrients Transported to Groundwater	х	х				Cover crop to reduce water quality degradation by utilizing excess soil nutrients	Establish a cover crop mix to take up excess soil nutrients. Select cover crop species for their ability to effectively utilize nutrients. Terminate the cover crop as late as practical to maximize plant biomass production and nutrient uptake. Cover crop shall not be harvested, grazed, or burned.		1	5	NA	Use CPS 340 job sheet for list of approved cover crop species for excess nutrient uptake and guidance in eFOTG on local climates and cropping systems.	
Е340Н	PLANT	Plant Pest Pressure	x	х				Cover crop to suppress excessive weed pressures and break pest cycles	Establish a cover crop mix to suppress excessive weed pressures and break pest cycles. Select cover crop species for their life cycles, growth habits, and other biological, chemical and/or physical characteristics. Select cover crop species that do not harbor pests or diseases of subsequent crops in the rotation. Cover crop shall not be harvested, grazed, or burned.	acre	1	5	NA	Use CPS 340 job sheet for list of approved cover crop species for weed suppression and that do not harbor pests or diseases and guidance in eFOTG on local climates and cropping systems.	
E340I	SOIL	Compaction	x					Using cover crops for biological strip till	Establish alternating strips of cover crops in which one strip acts as a biological strip-tiller and the adjacent strip promotes soil health with high residue cover crops. This will facilitate planting of the subsequent cash crop into the biologically strip-tilled row without the need for mechanical disturbance.	acre	1	5	NA	Use CPS 340 job sheet for list of approved cover crop species for soil compaction reduction and guidance in eFOTG on local climates and cropping systems.	
E345A	SOIL	Sheet and Rill Erosion; Wind Erosion	x					Reduced tillage to reduce soil erosion	Establish a reduced tillage system to reduce soil loss. Field(s) must have a soil loss at or below the soil tolerance (T) level for water and wind erosion for the crop rotation and a Soil Tillage Intensity Rating (STIR) of no greater than 40 for each crop in the planned rotation. The current NRCS wind and water erosion prediction technologies must be used to calculate soil loss and STIR.	acre	1	5	NA		
E345B	AIR	Emissions of Particulate Matter (PM) and PM Precursors	x					Reduced tillage to reduce tillage induced particulate matter	Establish a reduced tillage system to reduce tillage induced particulate matter. Field(s) must have a soil loss at or below the soil tolerance (T) level for the crop rotation and a Soil Tillage Intensity Rating (STIR) of no greater than 40 for each crop in the planned rotation. The current NRCS wind and water erosion prediction technologies must be used to document soil loss and STIR calculations.	acre	1	5	NA		
E345C	WATER	Inefficient Irrigation Water Use; Naturally Available Moisture Use	x					Reduced tillage to increase plant-available moisture	Establish a reduced till system to increase plant-available moisture. Each crop in the crop rotation shall have a Soil Tillage Intensity Rating (STIR) of no greater than 80. The current NRCS wind and water erosion prediction technologies must be used to document STIR calculations. Maintain a minimum 60 percent surface residue cover throughout the year to reduce evaporation from the soil surface.	acre	1	5	NA		
E345D	SOIL	Organic Matter Depletion; Soil Organism Habitat Loss or Degradation; Aggregate Instability	x					Reduced tillage to increase soil health and soil organic matter content	Establish a reduced till system to increase soil health and soil organic matter content. Each crop in the crop rotation shall have a Soil Tillage Intensity Rating (STIR) of no greater than 80. The crop rotation must achieve a soil conditioning index (SCI) of zero or higher and produce a positive trend in the Organic Matter (OM) subfactor over the life of the crop rotation. The current NRCS wind and water erosion prediction technologies must be used to document STIR and SCI calculations. Residue shall not be burned, grazed, or harvested.	acre	1	5	NA		
E345E	ENERGY	Energy Efficiency of Farming/Ranching Practices and Field Operations	х					Reduced tillage to reduce energy use	Establish a reduced tillage system which reduces total energy consumption associated with field operations by at least 25% compared to conventional tillage systems (benchmark). Each crop in the crop rotation shall have a Soil Tillage Intensity Rating (STIR) of no greater than 80. The current NRCS wind and water erosion prediction technologies must be used to document STIR calculations and energy consumption.	acre	1	5	NA		
E373A	AIR	Emissions of Particulate Matter (PM) and PM Precursors					x	Dust suppressant re-application for stabilization	Limit dust emissions by maintaining the surfaces of unpaved roads and areas in a stabilized condition. The periodic re-application of dust suppressants to unpaved surface areas will limit dust generation from vehicle and machinery activities or wind action.	sq ft	1	5	NA		New Enhancement for FY 2021

FY 2020 Page 4 of 15

										Ennancements					
Code	Resource Concern	Resource Concern Cause	X (Annual and Mixed)	X (Perennial)	Pasture	Range		Agland	Full Enhancement Name Install variable frequency drive(s) on pump(s)	Enhancement Description Install Variable Frequency Drive(s) (VFD) on Pumping Plant (Conservation Practice Standard CPS 533) with the correct sensors, on all pumps indicated in the energy audit.	Units	Enhancem	Max years enh. can be contracted	Montana Supplemental Information - Refer Questions to NRCS Area and State Discipline Leads. Supplemented. Completion of an approved Agricultural Energy Management Plan (AgEMP), in accordance with Conservation Activity Plan (CAP) practice code 128, is required prior to consideration of this enhancement. Installation of a variable frequency drive(s) on pump(s) must be listed in Table 1 of the CAP 128 as a	
E374A	ENERGY	Energy Efficiency of Farming/Ranching Practices and Field Operations												recommended energy saving measure. EQIP CAP criteria and templates: CAP 128 AgEMP Criteria, CAP 128 AgEMP Review Checklist	
E374B	ENERGY	Energy Efficiency of Farming/Ranching Practices and Field Operations		x	х		:	x >	Switch fuel source for pump motor(s)	Switch the fuel source for the pump motor(s) indicated in the energy audit to a renewable source (wind, solar, geothermal, etc.). (CPS 533 Pumping Plant)	no	10	1	Supplemented. Completion of an approved Agricultural Energy Management Plan (AgEMP), in accordance with Conservation Activity Plan (CAP) practice code 128, is required prior to consideration of this enhancement. Switching of fuel source for pump motor(s) must be listed in Table 1 of the CAP 128 as a recommended energy saving measure. EQIP CAP criteria and templates: CAP 128 AgEMP Criteria, CAP 128 AgEMP Review Checklist	
E382A	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates			х	x x	x :	x	Incorporating "wildlife friendly" fencing for connectivity of wildlife food resources	Retrofitting or constructing fences that provide a means to control movement of animals, people, and vehicles, but minimizes wildlife movement impacts.	ft	20	1	NA Supplemented. Refer to MT FW&P guide A Landowners Guide to Wildlife Friendly Fences and MT CPS 382 & 649 standards, specifications and jobsheets. Use Biology Technical Note MT-19 (Rev. 4) Wildlife Habitat Evaluation Guides for Montana for species of concern.	
E382B	SOIL	Plant productivity and Health, Plant Structure and Composition			x	x			Installing electrical fence offsets and winto facilitate cross-fencing for improved grazing management	Retrofitting conventional fences such as barb wire, with new electrical offsets and electrical wire to facilitate cross-fencing for improved grazing management.	ft	20	1	NA Contact NRCS Area Rangeland Management Specialist for guidance on Electric Fence Design sheet and map to design this enhancment, and for supplemental guidance on the technical quality of the existing fences.	
E386A	SOIL	Sheet and Rill Erosion; Wind Erosion	х	х			7	х	Enhanced field borders to reduce soil erosion along the edge(s) of a field	Enhance existing field borders to a width of at least 30 feet and establish a single species or mixture of species that provide a dense ground cover along the edge(s) of the field.	acre	10	1	NA NA	
E386B	SOIL	Organic Matter Depletion; Soil Organism Habitat Loss or Degradation; Aggregate Instability	х	х			:	х	Enhanced field borders to increase carbor storage along the edge(s) of the field	Enhance existing field borders to a width of at least 30 feet and establish a single species or mixture of species that provide a dense ground cover and dense rooting system along the edge(s) of the field.	acre	10	1	NA NA	
E386C	AIR	Emissions of Particulate Matter (PM) and PM Precursors	х	х				х	Enhanced field borders to decrease particulate emissions along the edge(s) of the field	Enhance existing field borders to a width of at least 40 feet and establish a mixture of species that decrease the particulate emissions along the edge(s) of the field.	acre	10	1	NA NA	
E386D	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	х	х			:	x	Enhanced field borders to increase food for pollinators along the edge(s) of a field	Enhance existing field borders to a width of at least 40 feet and establish a mixture of species that provide food for pollinators along the edge(s) of the field.	acre	10	1	Leaflet 34 for plants suitable for pollinator and beneficial insect habitat which emphasizes as many native species as practical.	
E386E	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	х	х			;	х	Enhanced field borders to increase wildlife food and habitat along the edge(s) of a field	Enhance existing field borders to a width of at least 40 feet and establish a mixture of species that provide wildlife food and habitat along the edge(s) of the field. The extended field border will also provide enhanced wildlife habitat continuity.		10	1	Refer to MT CPS 386 and CPS 645 standard, specification and jobsheet, Forage Suitablity Groups in eFOTG, Biology Tech Note MT-20 Creating and Enhancing Habitat for Pollinator Insects and Plant Materials Tech Note MT- 46 Seeding Rates and Recommended Cultivars for wildlife friendly grasses, forbs, shrubs, and trees. Use Biology Tech Note MT-19 Wildlife Habitat Evaluation Guides for Montana for species of concern.	
E390A	WATER	Nutrients Transported to Surface Water; Sediment Transported to Surface Water	х	х					Increase riparian herbaceous cover width for sediment and nutrient reduction	Where an existing herbaceous riparian buffer is located along a river, stream, pond, lake, or other waterbody, increase the width of the buffer in order to allow a greater percentage of sediment and nutrient removal from surface and subsurface flows.	acre	5	1	NA Supplemented.	
E390B	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	х	х	x	х		x >	Increase riparian herbaceous cover width to enhance wildlife habitat	Where an existing herbaceous riparian buffer is located along a river, stream, pond, lake, or other waterbody, increase the diversity of native species, control invasive species, install fencing and relocate equipment operations, trails, and livestock, and increase the width of the buffer.	acre	5	1	NA Supplemented. Also refer to Biology Technical Note MT-19 (Rev. 4) Wildlife Habitat Evaluation Guides for Montana for species of concern.	
E391A	WATER	Nutrients Transported to Surface Water; Sediment Transported to Surface Water	х	x					Increase riparian forest buffer width for sediment and nutrient reduction	Where an existing forested riparian area is located along a river, stream, pond, lake, or other waterbody, increase the width of the buffer in order to allow a greater percentage of sediment and nutrient removal from surface and subsurface flows.	acre	15	1	Refer to MT CPS 391 and CPS 645 standard, specification and jobsheet, Biology Tech NA Note MT-20 Creating and Enhancing Habitat for Pollinator Insects and Plant Materials Tech Note MT- 46 Seeding Rates and Recommended Cultivars for wildlife friendly grasses, forbs, shrubs, and trees.	

FY 2020 Page 5 of 15

									Limancements					
Code	Resource Concern	Resource Concern Cause	Crop (Annual and Mixed)	(Perennial)	Range	Forest Associated	Ag Land	Full Enhancement Name	Enhancement Description	Units	Enhancement Lifespan Max years enh. can be	contracted Suitable for Land Use	Montana Supplemental Information - Refer Questions to NRCS Area and State Discipline Leads.	Changes from 2020 to 2021; Highlighted blocks delienate new changes with red font indicating the change.
53045	N/ATED		x	x x	x x	х	x x	X Increase stream shading for stream temperature reduction	Riparian area tree canopy cover density is increased and the extent of the forested riparian area is increased to provide greater stream shading.	acre	15 1	1 N	Refer to MT CPS 391 and CPS 645 standard, specification and jobsheet, Forage Suitability Groups in eFOTG, Biology Tech Note MT-20 Creating and Enhancing Habitat for Pollinator Insects and Plant Materials Tech Note MT- 46 Seeding Rates	
E391B E391C	WATER	Elevated Water Temperature Terrestrial Habitat for Wildlife and Invertebrates	х	x >	к х		x x	x Increase riparian forest buffer width to enhance wildlife habitat	Where an existing riparian forest buffer is located along a river, stream, pond, lake, or other waterbody, increase the diversity of native species, control invasive species, install fencing and relocate equipment operations, trails, and livestock to increase the functional width of the buffer.	acre	15 1	1 N	and Recommended Cultivars for wildlife friendly grasses, forbs, shrubs, and trees. Refer to MT CPS 386 and CPS 645 standard, specification and jobsheet, Forage Suitablity Groups in eFOTG, Biology Tech Note MT-20 Creating and Enhancing Habitat for Pollinator Insects and Plant Materials Tech Note MT- 46 Seeding Rates and Recommended Cultivars for wildlife friendly grasses, forbs, shrubs, and trees. Use Biology Tech Note MT-19 Wildlife Habitat Evaluation Guides for Montana for species of concern.	
E393A	WATER	Nutrients Transported to Surface Water; Pathogens and Chemicals from Manure, Bio- solids or Compost Applications Transported to Surface Water	х	х			х	Extend existing filter strip to reduce wate quality impacts	Extend existing filter strips for water quality protection. Extend the existing buffer for a total of 60 refect or more to enhance water quality functions. The extended buffers must be composed of at least 5 species of non-noxious, wildlife friendly grasses and/or perennial forbs best suited to site conditions. Include species that provide pollinator food and habitat where possible.	acre	10 1	1 N	Refer to MT CPS 393 and CPS 645 standard, specification and jobsheet, Forage Suitablity Groups in eFOTG, Biology Tech Note MT-20 Creating and Enhancing Habitat for Pollinator Insects and Plant Materials Tech Note MT- 46 Seeding Rates and Recommended Cultivars for wildlife friendly grasses and forbs.	
E412A	WATER	Sediment Transported to Surface Water	х	х				Enhance a grassed waterway	Enhance grassed waterways for water quality protection (reduce excess sediment in surface waters). This is done by either changing the waterway size, protecting the current waterway, or improving the infiltration of the watershed of the grassed waterway to protect the waterway.	acre	10 1	1 N	A Supplemented.	New Enhancement for FY 2021
		Terrestrial Habitat for Wildlife	x	x		x	x >	X Establish pollinator habitat	Seed or plug nectar and pollen producing plants to establish or improve pollinator habitat. These areas may include, but are not limited to, field borders, vegetative barriers, contour buffer strips, shelterbelts, hedgerows, windbreaks, conservation cover, and riparian forest and herbaceous buffers.	acre	5 1	1 N	A Supplemented. Refer to Biology Tech Note MT-20 (Rev 9) Creating and Enhancing Habitat for Pollinator Insects for lists of plants suitable for pollinator habitat. Use Pollinator Habitat Evaluation Guide (PHEG) for pollinator habitat (Biology Tech Note	
E420A	WATER; ENERGY	and Invertebrates Inefficient Irrigation Water Use; Energy Efficiency of Farming/Ranching Practices and Field Operations		х	<		х	X Complete pumping plant evaluation for water savings	Evaluation of all pumping plants to determine the potential to rehabilitate/replace/reconfigure pump performance to improve water delivery efficiency 10% or more. Evaluate to determine if a Variable Frequency Drive motor controller(s) is recommended and the simple payback in terms of energy savings is less than 10 years.	acre	1 1	1 N	MT-19). A Complete pumping plant evaluations according to procedures described in NRCS National Engineering Handbook Part 623, Chapter 8 "Irrigation Pumping Plants" and Part 652 "Irrigation Guide".	New Enhancement for FY 2021
E449C	WATER	Inefficient Irrigation Water Use	х	x)	(-	Il Advanced automated irrigation water management using soil moisture or water level monitoring	acre	1 5	5 N		
E449D	WATER	Inefficient Irrigation Water Use	х	x >	(moisture monitoring Advanced Automated IWM – Year 1, Equipment and soil moisture or water level monitoring	(installed as per IWM plan) with data loggers. Installing and monitoring soil moisture or water leveling equipment for advanced automated irrigation water management	acre	1 1	1 N		
E449F	WATER	Inefficient Irrigation Water Use	х	x >	·			Intermediate IWM— Year 1, Equipment with Soil or Water Level monitoring	This activity involves monitoring soil moisture or water levels within a irrigated field for intermediate irrigation water management include installation of equipment year 1.	acre	1 1	1 N	A Also use Construction Specification MT-449, Irrigation Water Management	
E449H	WATER	Inefficient Irrigation Water Use	х	х				Intermediate IWM— Years 2 -5, using soi moisture or water level monitoring	Monitoring soil moisture or water levels within an irrigated field for implementing an intermediate irrigation water management plan using soil moisture data to facilitate management decisions.	acre	1 5	5 N		New Enhancement for FY 2021
E4491	WATER	Inefficient Irrigation Water Use	х	x				IWM - Year 1, Retrofit Equipment with Speed Control on Sprinkler Irrigation System	This enhancement consists of retrofitting an existing sprinkler irrigation system to integrate variable rate irrigation (VRI) speed control where the technology is not present. The added functionality of VRI speed control equipment allows for enhanced water application precision, efficiency, and uniformity along the length of the sprinkler irrigation system by varying the irrigation system speed within the irrigation pass. Renovation of the existing sprinkler irrigation system utilizing this enhancement includes the installation of an upgraded control panel capable of speed control programming and global positioning system (GPS) technology capable of providing real-time field position. Utilization of the VRI speed control and GPS equipment will be for the entire irrigation season and be based on spatially identified parameters such as variations in past yield data, soils, crop growth, topography, or computerized irrigation scheduling recommendations. This scenario requires that the existing sprinkler irrigation system meets Conservation Practice Standard (CPS) 442 uniformity and efficiency requirements. System equipment is installed in year 1 with this scenario and scenario E449G or E449C is used in years 2-5.	acre	1 1	1 N	A	New Enhancement for FY 2021

FY 2020 Page 6 of 15

									Enhancements					
Code	Resource Concern	Resource Concern Cause	Crop (Annual and Mixed)	(Perennial)	Range	Forest	Associated Ag Land	Full Enhancement Name	Enhancement Description	Units	Enhancement Lifesnan	S =		Changes from 2020 to 2021; Highlighted locks delienate new changes with red font indicating the change.
E472A	WATER	Nutrients transported to surface water, Pathogens and chemicals from manure, bio-solids or compost applications transported to surface water		x x	κ x	х	х	Manage livestock access to waterbodies to reduce nutrients or pathogens to surface water	Installation of structures and implementation of grazing management actions that restrict livestor access to waterbodies in order to reduce nutrient loading or reduce the introduction of pathoge from manure, bio-solids or compost to surface waters.		10	0 1	NA NA	
E484A	SOIL	Organic Matter Depletion; Soil Organism Habitat Loss or Degradation; Aggregate Instability	x					Mulching to improve soil health	Implement a crop rotation which utilizes mulch and addresses all four principle components of shealth: increases diversity of the cropping system; maintains residue throughout the year; keeps living root; and minimizes soil chemical, physical and biological disturbance. Plant-based mulchir materials will be applied at least once during the rotation. The rotation will include at least 4 different crops and/or cover crops grown in a sequence that will produce a positive trend in the Organic Matter (OM) subfactor value over the life of the rotation, as determined by the Soil Conditioning Index (SCI). The current NRCS wind and water erosion prediction technologies mus be used to document the rotation and SCI calculations.	s a ng acr	e 1	5	NA Supplemented. Also refer to MT CPS 484 standard, specification and job sheet.	
E484B	AIR	Emissions of Particulate Matter (PM) and PM Precursors		х				Reduce particulate matter emissions by using orchard or vineyard generated woody materials as mulch	Reduce particulate matter emissions by using orchard or vineyard generated woody materials as mulch. At least 90% of all woody materials are to be used as mulch on the operation. An excepti may be made when it is determined that infected material must be burned to preserve crop health.		e 1	5	NA Refer to MT CPS 484 standard, specification and jobsheet.	
E484C	PLANTS	Plant Pest Pressure	х	х				Mulching with natural materials in specialty crops for weed control	Application of straw mulch or other state approved natural material (such as wood chips, compo green chop, dry hay or sawdust) for weed control in specialty crops.	ost, Acr	e 1	5	NA Refer to MT CPS 484 standard, specification and jobsheet for state specific guidance for specific specialty crops.	
E511A	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	х	x)	x x			Harvest of crops (hay or small grains) using measures that allow desired specie to flush or escape	Harvest of crops (hay or small grains) using conservation measures that allow desired species to flush or escape. (For species list see State Wildlife Action Planfor species list) Conservation measures include timing of harvest, idling land during the nesting or fawning period, and applyin harvest techniques that reduce mortality to wildlife.	acr	e 1	L 5	NA Supplemented. Also refer to MT CPS 511 standard, specification and jobsheet and MT State Wildlife Plan - Montana Natural Heritage Species of Concern List. Use Biology Tech Note MT-19 Wildlife Habitat Evaluation Guides for Montana for species of concern.	Added land uses pasture and range
E511B	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	x	x >	¢ χ				The timely cutting and removal of forages from the field as hay, green chop, or ensilage in such a way, and in time frames, to optimize both forage yield/quality and wildlife cover and shelter and/or continuity between otherwise disconnected habitats.		e 1	. 5	NA Supplemented. Refer to MT CPS 511 standard, specification and jobsheet and MT State Wildlife Plan - Montana Natural Heritage Species of Concern List. Use Biology Tech Note MT-19 Wildlife Habitat Evaluation Guides for Montana for species of concern.	Added range landuse

FY 2020 Page 7 of 15

										Ennancements						
Code	Resource Concern	Resource Concern Cause	Crop (Annual and Mixed)	Crop (Perennial)	Pasture Range	Forest	Associated	Ag Land Farmstead	Full Enhancement Name	Enhancement Description	Units	Enhancement Lifespan	Max years enh. can be contracted	Suitable for Land Use	Montana Supplemental Information - Refer Questions to NRCS Area and State Discipline Leads.	Changes from 2020 to 2021; Highlighted blocks delienate new changes with red font indicating the change.
FF446	ANIMALS,	Feed and Forage, Plant Productivity and Health,		x	x				Forage testing for improved harvesting methods and hay quality	Dry hay forage samples are collected and analyzed following LGU procedures. Analysis results are kept and used to improve harvest decisions to guide forage supplementation of on-farm livestock to meet nutritional needs and improve health and productivity.	each	1	5	NA		New Enhancement for FY 2021
E511C	PLANTS	Sheet and Rill Erosion; Wind Erosion	x	х					Cropland conversion to grass-based agriculture to reduce soil erosion	Conversion of cropped land to grass-based agriculture to reduce soil erosion. Mixtures of perennial grasses, forbs, and legume species are established on cropland where annually-seeded cash crops have been grown.		5	1	YES	Supplemented. Refer to MT CPS 512 standard, specification and jobsheet, Forage Suitablity Groups in eFOTG, Plant Materials Tech Note MT-46 Seeding Rates for Conservation Species for Montana and Conservation Planning Tech Note MT-5 Evaluating Seeding Success for Forage and Biomass Planting (Code 512) and Range Planting (Code 550).	
E512B	SOIL	Sheet and Rill Erosion			х				Forage plantings that help increase organic matter in depleted soils	Establishing adapted and/or compatible species, varieties, or cultivars of herbaceous species suitable for pasture, hay, or biomass production that can provide for reduced soil erosion, improving soil health.	acre	5	1	NA	Refer to MT CPS 512 standard, specification and jobsheet, Forage Suitablity Groups in eFOTG, Plant Materials Tech Note MT-46 Seeding Rates for Conservation Species for Montana and Conservation Planning Tech Note MT-5 Evaluating Seeding Success for Forage and Biomass Planting (Code 512) and Range Planting (Code 550).	
E512C	SOIL	Organic Matter Depletion; Soil Organism Habitat Loss or Degradation; Aggregate Instability	x	x					Cropland conversion to grass for soil organic matter improvement	Conversion of cropped land to grass-based agriculture. Mixtures of perennial grasses, forbs, and/or legume species are established on cropland where annually-seeded cash crops have been grown.	r acre	5	1	YES	Refer to MT CPS 512 standard, specification and jobsheet, Forage Suitablity Groups in eFOTG, Plant Materials Tech Note MT-46 Seeding Rates for Conservation Species for Montana and Conservation Planning Tech Note MT-5 Evaluating Seeding Success for Forage and Biomass Planting (Code 512) and Range Planting (Code 550).	
E512D	SOIL	Organic Matter Depletion	х	х	х				Forage plantings that help increase organic matter in depleted soils	Establishing adapted and/or compatible species, varieties, or cultivars of herbaceous species suitable for pasture, hay, or biomass production that can help improve soil quality of depleted sites through increase or conservation of the organic matter in the soil.	acre	5	1	NA	Refer to MT CPS 512 standard, specification and Jobsheet, Forage Suitablity Groups in eFOTG, Plant Materials Tech Note MT-46 Seeding Rates for Conservation Species for Montana and Conservation Planning Tech Note MT-5 Evaluating Seeding Success for Forage and Biomass Planting (Code 512) and Range Planting (Code 550).	
E512E	PLANT	Plant Productivity and Health	x	x						Conversion of cropped land to grass-based agriculture. Mixtures of perennial grasses, forbs, and/or legume species are established on cropland where annually-seeded cash crops have been grown.	r acre	5	1	YES	Refer to MT CPS 512 standard, specification and Jobsheet, Forage Suitablity Groups in eFOTG, Plant Materials Tech Note MT-46 Seeding Rates for Conservation Species for Montana and Conservation Planning Tech Note MT-5 Evaluating Seeding Success for Forage and Biomass Planting (Code 512) and Range Planting (Code 550).	
E512F	PLANT, ANIMALS	Plant productivity and Health, Plant Structure and Composition, Terrestrial Habitat for Wildlife and Invertebrates	t		x		x		Establishing native grass or legumes in forage base to improve the plant community	Establishing adapted and/or compatible species, varieties, or cultivars of perennial, herbaceous species that can provide the structure and composition needed to enhance livestock and wildlife habitat, particularly when targeted forage supply and quality, cover, and shelter are not available in other pastures.	acre	5	1	NA	550). Use Biology Tech Note MT-19 Wildlife Habitat Evaluation Guides for Montana for species of concern.	
E512G	ANIMALS	Feed and Forage Imbalance		х	х		x		Native grasses or legumes in forage base	Establishing adapted and/or compatible species, varieties, or cultivars of perennial, herbaceous species that can provide the structure and composition needed to enhance livestock and wildlife habitat, particularly when targeted forage supply and quality, cover, and shelter are not available in other pastures.	acre	5	1	NA	MT: Refer to MT CPS 550 standard, specification and jobsheet,ecological site descriptions, Plant Materials Tech Note MT-46 Seeding Rates for Conservation Species for Montana and Conservation Planning Tech Note MT-5 Evaluating Seeding Success for Forage and Biomass Planting (Code 512) and Range Planting (Code 550). Refer to MT CPS 512 standard, specification and jobsheet, Forage Suitablity Groups	
E512H	PLANTS AND ANIMALS	Plant Structure and Composition, Terrestrial Habitat for Wildlife and Invertebrates	t		x		х		Forage plantings that enhance bird habitat cover and shelter or structure and composition	Establishing adapted and/or compatible species, varieties, or cultivars of herbaceous species suitable for pasture, hay, or biomass production that can provide cover and shelter or structure and composition to b	acre	5	1	NA	in eFOTG, Plant Materials Tech Note MT-46 Seeding Rates for Conservation Species for Montana and Conservation Planning Tech Note MT-5 Evaluating Seeding	WHEG score requirement changed from .75 to .60. New statement in criteria when native forbs and legumes are not available.
E512I	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates			х		х	х	Establish pollinator and/or beneficial insect and/or monarch habitat	Establishing adapted and/or compatible species, varieties, or cultivars of herbaceous species that can provide nectar for Monarch butterflies and/or pollinators and forage and other habitat values for wildlife and livestock, particularly at times when targeted nectar, forage supply and quality, cover, and shelter are not available in other pastures.	acre	5	1	NA	Refer to MT CPS 512 standard, specification and jobsheet, Forage Suitablity Groups in eFOTG, Plant Materials Tech Note MT-46 Seeding Rates for Conservation Species for Montana and Conservation Planning Tech Note MT-5 Evaluating Seeding Success for Forage and Biomass Planting (Code 512) and Range Planting (Code 550). Use Biology Tech Note MT-19 Wildlife Habitat Evaluation Guides for Montana for species of concern.	

FY 2020 Page 8 of 15

								Ennancements					
Code	Resource Concern	Resource Concern Cause	Crop (Annual and Mixed) Crop (Perennial)	Range	Forest	Associated Ag Land	Full Enhancement Name	Enhancement Description	Units	ncement L	Max years enh. can be contracted	Montana Supplemental Information - Refer Questions to NRCS Area and State Discipline Leads.	Changes from 2020 to 2021; Highlighted blocks delienate new changes with red font indicating the change.
E512J	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	x			х	X Establish wildlife corridors to provide habitat continuity or access to water	Establishing adapted and/or compatible species, varieties, or cultivars of perennial, herbaceous species that can provide cover needed for wildlife species of concern to move from food/cover/water sources to other food/cover/water sources as needed for their life cycles, and/or to enhance the utility of underused wildlife habitat areas.	acre	5	1	Refer to MT CPS 512 standard, specification and jobsheet, Forage Suitablity Groups in eFOTG, Plant Materials Tech Note MT-46 Seeding Rates for Conservation Species for Montana and Conservation Planning Tech Note MT-5 Evaluating Seeding Success for Forage and Biomass Planting (Code 512) and Range Planting (Code 550). Use Biology Tech Note MT-19 Wildlife Habitat Evaluation Guides for Montana for species of concern.	
E528A	ANIMALS	Feed and Forage Imbalance	x	x		x	Maintaining quantity and quality of forage for animal health and productivity	Managing the harvest of vegetation with grazing and/or browsing animals for the purposes of maintaining desired pasture composition/plant vigor and improving/maintaining quantity and quality of forage for the animals' health and productivity following the recommendations of a qualifying professional, as detailed in the documentation and implementation requirements.	acre	1	5	NA Supplemented. Refer to MT CPS 528 standard, specification and jobsheet. Current NRCS employees do not qualify as "non-affiliated consultants" regardless of their experience or education.	
E528C	ANIMALS	Feed and Forage Imbalance, Terrestrial Habitat for Wildlife and Invertebrates	x	х			Incorporating wildlife refuge areas in contingency plans for wildlife.	A prescribed grazing plan that includes 12 month (or longer) rest (non-grazing period equal or greater than one year) of a grazing unit that consists of native grasses and/or legumes and/or perennial forbs for the purpose of meeting the needs for drought/disaster contingency plans that will also provide wildlife habitat or wildlife access to water for a period of time.	acre	1	5	NA Supplemented. Refer to MT CPS 528 and CPS 645 standard, specification and jobsheet. Use Biology Tech Note MT-19 Wildlife Habitat Evaluation Guides for Montana for species of concern.	
E528D	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	x	x	х		Grazing management for improving quantity and quality of food or cover and shelter for wildlife	Grazing management employed will provide the plant structure, density and diversity needed for improving the quantity and quality of cover, shelter and food for the desired wildlife species of concern.	acre	1	5	Supplemented. Refer to MT CPS 528 standard, specification and jobsheet. Use NA Biology Tech Note MT-19 Wildlife Habitat Evaluation Guides for Montana for species of concern.	
E528E	PLANTS	Plant Structure and Composition, Terrestrial Habitat for Wildlife and Invertebrates	х	x	х	х	Improved grazing management for enhanced plant structure and composition for wildlife	Managing the harvest of vegetation with grazing and/or browsing animals for the purpose of improving the quantity and quality of the structure and composition of the plant community that is available for wildlife.	acre	1	5	NA Supplemented. Refer to MT CPS 528 standard, specification and jobsheet. Use Biology Tech Note MT-19 Wildlife Habitat Evaluation Guides for Montana for species of concern.	
E528F	PLANTS	Plant Productivity and Health, Plant Structure and Composition	x	1		х	Stockpiling cool season forage to improve structure and composition or plant productivity and health	Grazing management employed to stop grazing events of selected paddock(s) to allow pasture forages to grow to maximum vegetative biomass accumulation before the end of the growing season.	acre	1	5	NA Supplemented. Refer to MT CPS 511 and CPS 528 standard, specification and jobsheet.	
E528G	PLANTS	Plant Productivity and Health	x	Ţ.			Improved grazing management on pasture for plant productivity and health with monitoring activities	Managing the harvest of vegetation with grazing and/or browsing animals as adjusted when following recommendations of a qualifying professional, as detailed in the enhancement criteria, generated through pasture condition scoring (PCS).	acre	1	5	NA Supplemented. Refer to MT CPS 528 standard, specification and jobsheet. Current NRCS employees do not qualify as "non-affiliated consultants" regardless of their experience or education.	
E528H	WATER	Elevated Water Temperature	x	×	x		riparian and watershed function-elevated water temperature	Grazing management employed will provide cover and density needed in the watershed in order to reduce runoff, improve infiltration, provide for above ground water filtration and sustain applicable fish and wildlife species habitat.	acre	1	5	NA Supplemented. Refer to MT CPS 528 standard, specification and jobsheet. Use Environmental Tech Note MT-2 Riparian Assessment - Using the NRCS Riparian Assessment Method .	Added Pasture and Forest land uses
E528I	WATER	Nutrients transported to surface water, Nutrients transported to ground water	x	x			Grazing management that protects sensitive areas -surface or ground water from nutrients	Grazing management employed will provide cover and density needed in the watershed in order to protect sensitive areas such as sinkholes, streams, highly erodible areas, or locations with plants that cannot tolerate defoliation.	acre	1	5	Supplemented. Refer to MT CPS 528 standard, specification and jobsheet. Use NA Environmental Tech Note MT-2 Riparian Assessment - Using the NRCS Riparian Assessment Method .	
E528J	WATER	Nutrients transported to surface water, Pathogens and chemicals from manure, bio-solids or compost applications transported to surface water, Sediment transported to surface water	x	:			Prescribed grazing on pastureland that improves riparian and watershed function.	Grazing management employed will provide cover and density needed in the watershed in order to reduce runoff, improve infiltration, provide for above ground water filtration and sustain applicable fish and wildlife species habitat.	acre	1	5	NA Supplemented. Refer to MT CPS 528 standard, specification and jobsheet. Use Environmental Tech Note MT-2 Riparian Assessment - Using the NRCS Riparian Assessment Method .	
E528K	SOIL	Compaction	x	1			Improved grazing management for soil compaction on pasture through monitoring activities	Manage the harvest of vegetation with grazing and/or browsing animals as adjusted when following recommendations of a qualifying professional, as detailed in the enhancement criteria, generated through pasture condition scoring (PCS).	acre	1	5	NA Supplemented. Refer to MT CPS 528 standard, specification and jobsheet. Current NRCS employees do not qualify as "non-affiliated consultants" regardless of their experience or education.	
E528L	SOIL	Bank erosion from streams, shorelines or water conveyance channels	x	x	х		Prescribed grazing that improves or maintains riparian and watershed function-erosion	Grazing management employed will provide cover and density needed in the watershed in order to reduce runoff, improve infiltration, provide for above ground water filtration and sustain applicable fish and wildlife species habitat.	acre	1	5	NA Supplemented. Refer to MT CPS 528 standard, specification and jobsheet.	
E528M	SOIL	Classic Gully Erosion	х	x			Grazing management that protects sensitive areas from gully erosion	Grazing management employed will provide vegetative cover and density needed in the watershed in order to protect sensitive areas such as sinkholes, streams, highly erodible areas, or locations that cannot tolerate plant defoliation.	acre	1	5	NA Supplemented. Refer to MT CPS 528 standard, specification and jobsheet.	

FY 2020 Page 9 of 15

										Ennancements						
Code	Resource Concern	Resource Concern Cause	Crop (Annual and Mixed)	(Perennial)	Pasture	Forest	Associated	Ag Lallu Farmstead	Full Enhancement Name	Enhancement Description	Units	Enhancement Lifespan	Max years enh. can be contracted	Suitable for Land Use Conversion	Montana Supplemental Information - Refer Questions to NRCS Area and State Discipline Leads.	Changes from 2020 to 2021; Highlighted blocks delienate new changes with red font indicating the change.
E528N	SOIL, WATER, PLANTS	Erosion, Classic Gully, Compaction, Aggregate Instability, Surface Water Depletion, Plant Productivity and Health, Plant Structure and Composition and Plant Pest Pressure			x				Improved grazing management through monitoring activities	Three predominant key grazing areas are evaluated utilizing the Rangeland Health Assessment (where reference material is developed) or Describing Indicators of Rangeland Health protocols (where reference material is not developed) to determine how well the ecological processes of the site(s) are functioning. Utilizing knowledge learned from this as a part of the ranch resource assessment, a qualifying professional, as detailed in the enhancement criteria, will provide recommendations or follow-up evaluations toward mitigating some of the degradation risks that are initially identified.	acre	1	5	NA	Supplemented. Refer to MT CPS 528 standard, specification and jobsheet. Current NRCS employees do not qualify as "non-affiliated consultants" regardless of their experience or education.	
E528O	ANIMAL, PLANT	Feed and Forage Imbalance, Plant productivity and health		:	x				Clipping mature forages to set back vegetative growth for improved forage quality	Plant maturity is the most important factor that determines forage quality. Timely clipping through mowing, swathing or some other mechanical cutting will occur on grazing lands after plants mature. This enhancement will promote increased forage palatability by setting forages that have matured back to a vegetative state for improved grazing management and forage quality.	acre	1	5	NA	Refer to MT CPS 511 and CPS 528 standard, specification and jobsheet.	
E528P	SOIL, WATER	Pathogens and chemicals from manure, bio-solids or compost applications transported to surface water, Nutrients transported to surface water, Organic Matter Depletion	х	x :	x x	(Implementing Bale or Swath Grazing to increase organic matter and reduce nutrients in surface water	Improve organic matter, aggregate stability and soil organism habitat in the soil by leaving the biomass harvested from the field on site for animal use, or supplementing organic matter needs with off-field forages. Grazing harvested forages in this manner, will help to incorporate organic matter, feed and diversify the soil microbiome, build better aggregation and increase soil health and critical functions such as infiltration, nutrient cycling, and weather resilience. Forages should be placed evenly throughout the field, but can be concentrated in areas where particular concerns, such as bare ground, need to be remedied. Decisions of forage placement must take into account areas that would be sensitive to such activity such as protecting surface waters from nutrients or steep slopes from erosion.	acre	1	5	NA	Supplemented. Refer to MT CPS 511 and CPS 528 standard, specification and jobsheet.	Added new statement in criteria on unrolling bales.
<u>E528Q</u>	ANIMALS	Feed and Forage Imbalance	х	x :	x x	x	х		Use of body condition scoring for livestock on a monthly basis to keep track of herd health	Body condition scoring (BCS) serves as a useful management tool to monitor livestock performance with respect to current and recent feeding or grazing programs. Body condition scoring is a numeric scoring system, producers can use to consistently evaluate animals' estimated body energy reserves through degree of fatness. This information can be used to adjust nutritional strategies to reach optimal BCS. Since body condition is closely associated with reproductive performance as well as feed efficiency, monitoring body condition can help producers reach production goals and increase the operation's bottom line. Knowledge and understanding of BCS will assist producers to adjust a supplemental feeding program to maintain animal health and nutrition on a-monthly-basis.	acre	1	5	NA	Supplemented. Refer to MT CPS 528 standard, specification and jobsheet. Any Body Condition Scoring (BCS) reference will work - see Oklahoma Cooperative Extension Service ANSI-3283 Body Condition Scoring of Beef Cows for an example.	
E528R	PLANTS	Plant Productivity and Health, Plant Structure and Composition			x x	(Management Intensive Rotational Grazing	Management intensive, multi-paddock grazing system where livestock are regularly and systematically moved to fresh forage to optimize quantity and quality of forage growth, improve manure distribution, improve wildlife cover, and improve soil health.	acre	1	5	NA	Supplemented. Refer to MT CPS 528 standard, specification and jobsheet.	Added state supplemental requirements
E533A	WATER	Inefficient Irrigation Water Use		x 2	ĸ				Advanced Pumping Plant Automation	This enhancement consists of installing a control device to a pump station that allows the user to remotely monitor and operate the pump station based on field measured data. Pumping stations may have either a combustible or electric power unit that are compatible with the control device or sensor. These devices/sensors collect field-measured data and provide this data in real time to the landowner to make irrigation decisions and adjustments to the pump operation	No	1	1	NA		
E533B	ENERGY	Energy Efficiency of Farming/Ranching Practices and Field Operations; Energy Efficiency of Equipment and Facilities		x	x		х	х	Complete pumping plant evaluation for energy savings	Evaluation of all pumping plants to determine the potential to rehabilitate/replace/reconfigure pump performance to improve water delivery efficiency 10% or more. Evaluate to determine if a Variable Frequency Drive motor controller(s) is recommended and the simple payback in terms of energy savings is less than 10 years.	acre	15	1	NA	Complete pumping plant evaluations according to procedures described in NRCS National Engineering Handbook Part 623, Chapter 8 Irrigation Pumping Plants and Part 652 Irrigation Guide.	
E550A	SOIL	Organic Matter Depletion	х	х	х	x			Range planting for increasing/maintaining organic matter	Establishment of adapted perennial or self-sustaining vegetation such as grasses, forbs, legumes, shrubs and trees for the purpose of increasing or maintaining organic matter levels in the soil.	acre	5	1	NA	Refer to MT CPS 550 and CPS 528 standard, specification and jobsheet, Ecological Site Descriptions and Conservation Planning Tech Note MT-5 Evaluating Seeding Success for Forage and Biomass Planting (Code 512) and Range Planting (Code 550). Use Range and Pasture Tech Note MT-33 Montana Species Suited to Planting by Ecological Site for list of suitable plant species.	

FY 2020 Page 10 of 15

										Ennancements						
Code	Resource Concern	Resource Concern Cause	Crop	Crop (Perennial)	Pasture	Range	Forest	Associated Ag Land	Full Enhancement Name	Enhancement Description	Units	Enhancement Lifespan	Max years enh. can be contracted	Suitable for Land Use Conversion Disciplin	a Supplemental Information - Refer Questions to NRCS Area and State e Leads.	Changes from 2020 to 2021; Highlighted blocks delienate new changes with red font indicating the change.
E550B	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	х	x		x			Range planting for improving forage, browse, or cover for wildlife	Establishment of adapted perennial or self-sustaining vegetation such as grasses, forbs, legumes, shrubs and trees for the purpose of improving forage, browse, or cover for wildlife on areas that have been degraded beyond recovery via ecological principles, or old crop fields and pastures devoid of desirable, native rangeland species that fit within an ecological site description steady state.	acre	5	1	NA Ecologica Seeding (Code 55 Pollinata Manage Species S Biology T	MT CPS 550, CPS 528 and CPS 645 standard, specification and jobsheet, al Site Descriptions, Conservation Planning Tech Note MT-5 Evaluating Success for Forage and Biomass Planting (Code 512) and Range Planting 0), Biology Tech Notes MT-20 Creating and Enhancing Habitat for Insects and MT-32 Native Pollinators - Fish and Wildlife Habitat ment Leaflet 34. Use Range and Pasture Tech Note MT-33 Montana suited to Planting by Ecological Site for list of suitable plant species. Use Tech Note MT-19 Wildlife Habitat Evaluation Guides for Montana for of concern.	
E570A	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	x	x				x	C Enhanced rain garden for wildlife	Seed or plug nectar and pollen producing plants into rain gardens to provide wildlife habitat.	sq. ft.	. 1	1	NA Insects a Leaflet 3	Biology Tech Notes MT-20 Creating and Enhancing Habitat for Pollinator and MT-32 Native Pollinators - Fish and Wildlife Habitat Management 4 for list of plants suitable for pollinator and beneficial insect habitat apphasizes as many native species as practical.	
E578A	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	х	х	Х	х	х	Х	Stream crossing elimination	Existing stream crossings on an operation are consolidated into fewer crossings in order to reduce impacts to stream habitat.	no	10	1	NA		
207071	7.1111111111111111111111111111111111111	Streambank, Shoreline, Water	x	х	x	x	x	х	Stream corridor bank stability	Stream corridor bank vegetation components are established to provide additional streambank	acre	20	1		ntation of a bank stabilization project according to PS 580 and within WT NRCS planning and program policy is required prior to selecting this	
E580A	SOIL	Conveyance Channels	L^	L^	^		^	^	improvement	stability.	dere	20		enhance		
E580B	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	х	х	х	x	x	x	Stream corridor bank vegetation improvement	Stream corridor bank vegetation components are established to improve ecosystem functioning and stability.	acre	20	1	current I enhance provide	MT NRCS planning and program policy is required prior to selecting this ment. Use appropriate Montana Biology Tech Notes for list of plants that nabitat requirements for desirable wildlife and pollinators, and Biology are MT-19 Wildlife Habitat Evaluation Guides for Montana for species of	
E590A	WATER; AIR	Nutrients Transported to Surface Water; Nutrients Transported to Ground Water; Emission of Greenhouse Gases (GHGs)	x	x					Improving nutrient uptake efficiency and reducing risk of nutrient losses	Nutrient management encompasses managing the amount, source, placement, and timing of the application of plant nutrients and soil amendments. Nutrients are currently being applied on the farm based on the 4R nutrient stewardship principles. Enhanced nutrient use efficiency strategies or technologies are utilized to improve nutrient use efficiency and reduce risk of nutrient losses to surface and groundwater and reduce risks to air quality by reducing emissions of greenhouse gases (GHGs).		1	5	NA Crop and Extensio	MT CPS 590 standard, specification and jobsheet, MontGuide MT200703AG ng Fertilizer Recommendations for Agriculture, MontGuide MT201103 AG I Fertilizer Management Practices to Minimize Nitrate Leaching and NDSU in Service Document SF1581 Nitrogen Extenders and Additives. Use MT ronomy Tech Note MT-91 Montana Nitrogen Risk Assessment.	
E590B	WATER	Nutrients Transported to Surface Water; Nutrients Transported to Ground Water	х	х					Reduce risks of nutrient loss to surface water by utilizing precision agriculture technologies	Precision application technology and techniques are utilized to plan and apply nutrients to improve nutrient use efficiency and reduce risk of nutrient losses.	acre	1	5	NA Supplem	ented.	
E590C	WATER	Nutrients Transported to Surface Water; Nutrients Transported to Ground Water			х				Improving nutrient uptake efficiency and reducing risk of nutrient losses on pasture	Nutrient management encompasses managing the amount, source, placement, and timing of the application of plant nutrients and soil amendments. Nutrients are currently being applied on the farm based on the 4R nutrient stewardship principles. Enhanced nutrient use efficiency strategies or technologies are utilized to improve nutrient use efficiency and reduce risk of nutrient losses on pasture.		1	5	Developi Crop and Extensio	MT CPS 590 standard, specification and jobsheet, MontGuide MT200703AG ng Fertilizer Recommendations for Agriculture, MontGuide MT201103 AG I Fertilizer Management Practices to Minimize Nitrate Leaching and NDSU n Service Document SF1581 Nitrogen Extenders and Additives. Use MT ronomy Tech Note MT-91 Montana Nitrogen Risk Assessment.	New criteria to adjust pH and new Documentation IR-During Implementation to adjust pH.
		Pesticides Transported to	х	х					Reduce risk of pesticides in surface water by utilizing precision pesticide application		acre	1	5	NA		
E595A	WATER	Surface Water Pesticides Transported to	<u> </u>					_	techniques	bodies. Utilize integrated pest management (IPM) prevent, avoidance, monitoring, and suppression	30.0	1	<u> </u>			
E595B	WATER, AIR	Surface Water; Emissions of Ozone Precursors Pesticides	х	х	х				Reduce risk of pesticides in water and air by utilizing IPM PAMS techniques	(PAMS) techniques to reduce risk of pesticides in water and air. Reduce the potential for delivery of chemicals into water or ozone precursor emissions.	acre	1	5	NA		

FY 2020 Page 11 of 15

										Lillancements						
Code	Resource Concern	Resource Concern Cause	Crop (Annual and Mixed) Crop	(Perennial) Pasture	Range	Forest	Associated Ag Land	Farmstead	Full Enhancement Name	Enhancement Description	Units	Enhancement Lifespan	Max years enh. can be contracted	Suitable for Land Use	Montana Supplemental Information - Refer Questions to NRCS Area and State Discipline Leads.	Changes from 2020 to 2021; Highlighted blocks delienate new changes with red font indicating the change.
<u>E595E</u>	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates		х	х				Eliminate use of chemical treatments to control pests and to increase the presence of dung beetles	Pests and parasites can have a significant impact on the economic viability of livestock operations, by affecting the performance and health of animals. The use of broad-spectrum insecticides, pour ons and avermectins have been shown to have a detrimental effect on dung beetle populations. Having a healthy population of dung beetles facilitates the recycling of nutrients and promotes soi and grassland health. By eliminating the application of broad-spectrum insecticides, pour-ons, an avermectins, including injectable avermectins, for pest control in and on livestock along with rotational grazing and higher stock densities has shown to increase the dung beetle population. Use of natural or alternative methods of pest control over multiple years is encouraged.	I d acre	1	5	No	0	
E612A	WATER	Sediment Transported to Surface Water	x >	(Cropland conversion to trees or shrubs for long term improvement of water quality	Cropland conversion to trees and shrubs for long term erosion control and improvement of water quality. Trees and shrubs are established on cropland where annually-seeded cash crops have been grown. Tree and/or shrub species are selected for their efficacy in holding soil, and the planting design is configured to control runoff and trap sediment.		15	1	YE:	es e	
E612B	AIR	Emission of Greenhouse Gases (GHGs)	x	x x	x	х	х	x	Planting for high carbon sequestration rate	Plant tree species and use stocking levels for higher growth to increase the rate of carbon sequestration (capture). Use species with a longer life span as well as relatively fast growth, and species suitable for durable manufactured products. Increase stocking levels in forests that are not fully stocked. Implement afforestation on appropriate open lands.	acre	15	1	YE:	Refer to MT CPS 612 standard, specification and jobsheet for tree species that meet requirements for high rates of carbon sequestration and are suitable for the geographic location.	
E612C	Plants	Plant Productivity and Health; Plant Structure and Composition Terrestrial Habitat for Wildlife and Invertebrates			х	x	х		Establishing tree/shrub species to restore native plant communities	Establish trees and/or shrubs to restore elements of plant diversity that have been lost through past diseases or improper management. For example, disease-resistant varieties of elm and chestnut can be established to restore the ecological functions of American elm and American chestnut. At the stand level, past forest management may have eliminated certain native tree species. Restoring stand-level diversity and function addresses a wide array of resource concerns and strengthens ongoing management activities. This enhancement improves a forest that is already in good condition by increasing plant diversity, and improving health and vigor through adding plants with resistance to disease, pests, or other local hazards. Additional benefits include contributing to carbon storage, and providing diversity in wildlife habitat and food sources.	acre	15	1	N.A	A Use Ecological Site Descriptions to evaluate native species eliminated or reduced on the site and suitable for restoration. Refer to MT CPS 550 and CPS 528 standard, specification and jobsheet, and Conservation Planning Tech Note MT-5 Evaluating Seeding Success for Forage and Biomass Planting (Code 512) and Range Planting (Code 550). Use Range and Pasture Tech Note MT-33 Montana Species Suited to Planting by Ecological Site for list of suitable plant species.	
E612D	PLANTS	Plant Structure and Composition	x >	α x	x	х	х	_ X	Adding food-producing trees and shrubs to existing plantings	Plant food-producing trees and shrubs for wildlife or human consumption within windbreaks, alley cropping, multi-story cropping, silvopasture systems, and/or riparian forest buffers.	acre	15	1	N.A	A Supplemented. Refer to MT CPS 612 standard, specification and jobsheet for suitable woody plants for food/culinary use.	
E612E	PLANTS	Plant Structure and Composition		х	х	х	х	х	Cultural plantings	Plant trees and shrubs that are of cultural significance, such as those species utilized by Tribes in traditional practices, medicinal plants, species used in basket-making, etc. (e.g., paper birch, slippery elm, witch hazel).	acre	15	1	N.A	A Supplemented. Refer to MT CPS 612 standard, specification and jobsheet for suitable woody plants for cultural uses.	
E612G	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	x >	x x	х	х	х	х	Tree/shrub planting for wildlife food	Tree or shrub planting to enhance habitat for native wildlife. A minimum of five tree or shrub species will be used; they will be species that provide food and/or cover for identified wildlife species.	acre	15	1	YE:	Supplemented. Refer to MT CPS 612 standard, specification and jobsheet for trees and shrubs important for wildlife food. Use Biology Tech Note MT-19 Wildlife Habitat Evaluation Guides for Montana for species of concern.	
E643B	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates				x			Restoration and management of rare or declining habitat	Provide protection from adverse environmental conditions to create refugia for documented occurrences of sensitive plant communities.	acre	. 5	1	N.A	A Supplemented.	
E645A	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	x	x x	х	х	х	х	Reduction of attractants to human- subsidized predators in sensitive wildlife species habitat	Reduction of artificial perching sites, nest sites, food, and water available to subsidized predators in areas where human-subsidized predators are a threat to sensitive wildlife species. Human-subsidized predators may include ravens, crows, magpies, coyotes, foxes, skunks, raccoons, and other species. Activities under this enhancement may include removal of non-native or invasive trees; removal of unused power poles, corrals, windmills, buildings, and other vertical structures; and/or removal or management of watering facilities, dead livestock, road kill, garbage, animal feed, dumps, and other non-natural food sources.	No	1	1	N.F		

FY 2020 Page 12 of 15

	Ennancements														
Code	Resource Concern	Resource Concern Cause	Crop (Annual and Mixed)	Crop (Perennial)	Pasture	Range	Forest Associated	Ag Land	Full Enhancement Name	Enhancement Description	5	Enhancement Lifespan	Max years enh. can be contracted		Changes from 2020 to 2021; Highlighted Montana Supplemental Information - Refer Questions to NRCS Area and State Discipline Leads. Changes from 2020 to 2021; Highlighted blocks delienate new changes with red font indicating the change.
E645B	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	х	x	х	x :	x	x	X Manage existing shrub thickets to provid adequate shelter for wildlife	Existing shrub thickets provide an instant and important cover for wildlife. Various wildlife species may use shrubs as winter/thermal cover, summer shade, roosting, or as escape cover from predators. Proper management ensures that these shrubs will continue to provide the desired benefits for the local wildlife. A combination of herbicide treatments, cutting and trimming branches, and removal of other competing vegetation will occur. An eligible existing shrub thicket needs to have a canopy cover of 750 square feet, with an end goal of expanding to 1500 square feet. Any existing shrub thicket (not hand planted within the last 5 years) are eligible for this enhancement. Shrub thickets found within fence rows may now be very wide, but still meet the 750 square feet, are eligible.		1	1	NA	
E645C	ANIMALS	Terrestrial Habitat for Wildlife and Invertebrates	x	x	x	x :	x	x :	X Edge feathering for wildlife cover	Selected trees are cut, and brush clipped along the border between a wooded area and a grassland, cropland, or idle land, creating a dense woody cover of interlocking branches at ground level. The feathered edge will be an average of 30 feet wide and a minimum of 50 feet long, resulting in an area of 1500 square feet. The width of the strip will vary to follow topographic features and to create a wavy border; the design will also consider aesthetics. Vegetative composition and cover will vary within the edge, ranging from areas with no trees and shrubs to areas with scattered trees and extensive shrub cover. The variation in vegetation structure along with variable width of the edge will create feathering. The edge may include shrub plantings for wildlife food and aesthetics.		1	1	NA	
E666A	SOIL, AIR	Organic Matter Depletion; Soil Organism Habitat Loss or Degradation; Aggregate Instability; Compaction; Emission of Greenhouse Gases (GHGs);					x		Maintaining and improving forest soil quality	Adopts guidelines for maintaining and improving soil quality on sites where forest management activities are practiced. These guidelines will increase soil organic matter content, improve nutrient cycling, and increase infiltration and retention of precipitation. Avoiding soil compaction will allow for greater root development and tree growth, limit windthrow, and reduce drought stress. Increasing carbon storage on site will maintain the soil microbial community and provide wildlife benefits.		10	1	NA	Refer to MT CPS 666 standard, specification and jobsheet.
E666D	PLANT, ANIMAL, WATER	Plant Pest Pressure; Terrestrial Habitat for Wildlife and Invertebrates; Naturally Available Moisture Use; Nutrients Transported to Surface Water; Nutrients Transported to Ground Water;					x		Forest management to enhance understory vegetation	This enhancement provides for management of the understory vegetation in a forested area by mechanical, chemical, and/or manual methods to improve the plant species mix and the health of the residual vegetation. Managing the understory vegetation increases available water to the plants, minimizes runoff and erosion, and improves water quality. An adequately stocked forest provides inputs of leaves, needles, and woody twigs and stems to the forest floor, adding to soil organic matter and contributing to forest soil health. Desirable tree species and understory vegetation, with spacing that allows ground cover to develop, will allow moisture to infiltrate and be stored in the soil, releasing moisture over longer periods of time.		10	1		Refer to MT CPS 666 standard, specification and jobsheet and <i>Conservation Trees</i> and Shrubs for Montana brochure on Montana NRCS web site for guidelines for species and species groups to determine spacing, density, size-class distribution, number of trees, and amount of understory species to be retained.
E666E	PLANT	Wildfire Hazard from Biomass Accumulation					x		Reduce height of the forest understory to limit wildfire risk	Forest stand improvement that manages forest structure to reduce the risk of wildfire, and creates conditions that facilitate prescribed burning. The fire risk reduction is accomplished by reducing the height of the woody understory and midstory, creating space between the ground cover and the tree canopy. This enhancement provides for management of the understory vegetation in a forested area, using mechanical, chemical or manual methods to improve the plant species mix and the health of the residual vegetation, and reduce the risk of wildfire. In appropriate stands, the treatment creates conditions that favor prescribed burning. Forest stand improvement (FSI) activities are used to remove trees of undesirable species, form, quality, condition, or growth rate. The quantity and quality of forest for wildlife and/or timber production will be increased by manipulating stand density and structure. These treatments can also reduce wildfire hazards, improve forest health, restore natural plant communities, and achieve or maintain a desired native understory plant community for soil health, wildlife, grazing, and/or browsing.	acre	10	1	NA	Refer to MT CPS 666 standard, specification and jobsheet and <i>Conservation Trees</i> and Shrubs for Montana brochure on Montana NRCS web site for guidelines for species and species groups to determine spacing, density, size-class distribution, number of trees, and amount of understory species to be retained.
E666F	PLANT, ANIMAL	Plant Productivity and Health; Terrestrial Habitat for Wildlife and Invertebrates					x		Reduce forest stand density to create open stand structure	Reducing forest stand density creates open forest conditions with a low basal area which promotes the health and vigor of the residual trees. The open stand structure allows a significant amount of sunlight to reach the forest floor and stimulates the growth of understory vegetation. Understory vegetation management, along with the wide spacing between trees or clumps of trees, provides visual appeal, lowers the risk of wildfire, and provides habitat for many at-risk and listed wildlife species. The enhancement creates conditions that facilitate a follow-up treatment with prescribed burning.	acre	10	1	NA	Refer to MT CPS 666 standard, specification and jobsheet and <i>Conservation Trees</i> and Shrubs for Montana brochure on Montana NRCS web site for guidelines for species and species groups to determine spacing, density, size-class distribution, number of trees, and amount of understory species to be retained.

FY 2020 Page 13 of 15

								Ennancements						
Code	Resource Concern	Resource Concern Cause	Crop (Annual and Mixed) Crop (Perennial)	Range	Forest	Associated Ag Land	Full Enhancement Name	Enhancement Description	Units	Enhancement Lifespan		Suitable for Land Use Conversion	Montana Supplemental Information - Refer Questions to NRCS Area and State Discipline Leads.	Changes from 2020 to 2021; Highlighted blocks delienate new changes with red font indicating the change.
E6660	PLANT, ANIMAL	Wildfire Hazard from Biomass Accumulation; Terrestrial Habitat for Wildlife and Invertebrates			х		Reduce forest density and manage understory along roads to limit wildfire risk and improve habitat	objective of creating a partially open forest canopy bordering the road. A semi-open canopy allows more sunlight to reach the forest floor to promote herbaceous understory plants, and reduces maintenance needs by allowing moisture to evaporate from roads. The reduced canopy and herbaceous understory limit woodland fuel buildup and reduce fire intensity.	acre	2 10	1	NA	Refer to MT CPS 666 standard, specification and jobsheet and <i>Conservation Trees and Shrubs for Montana</i> brochure on Montana NRCS web site for guidelines for species and species groups to determine spacing, density, size-class distribution, number of trees, and amount of understory species to be retained. Consult NRCS biologist for nesting season for ground nesting birds.	Reducing approximately 50 % of Trees was removed from guidesheet and reference to Fuel Break (383) criteria was added.
E6661	SOIL, AIR	Emission of Greenhouse Gases (GHGs), Organic Matter Depletion			x	х	X Increase on-site carbon storage	Use forest management techniques to maintain and increase on-site carbon storage. These include, but are not limited to, applying uneven-aged management, using longer rotations, retaining cavity/den trees, snags, and down woody debris, and protecting or increasing soil organic material.	acre	10	1	NA	Refer to MT CPS 666 standard, specification and jobsheet.	
E666H	PLANT, ANIMAL	Plant Structure and Composition; Terrestrial Habitat for Wildlife and Invertebrates			x	х	X Creating structural diversity with patch openings	Forest stand improvement that creates patch openings. Size, shape, and arrangement of patches will be based on natural features, and emulate patches that would result from natural disturbance regimes of wind or fire, varying geographically and by forest type, and by tree species desired from natural regeneration. The treatment will create diversity in stand composition and structure, increase pest resistance, and enhance wildlife food availability. Openings may provide regeneration sites and restore natural plant communities, and achieve or maintain a desired understory plant community for wildlife habitat.	n	e 10	1	NA	Refer to MT CPS 666 standard, specification and jobsheet and State list of invasive species. Use Biology Tech Note MT-19 Wildlife Habitat Evaluation Guides for Montana for species of concern.	
E6661	PLANT, 1 ANIMAL	Wildfire Hazard from Biomass Accumulation, Terrestrial Habitat for Wildlife and Invertebrates			x	х	Maintaining structural diversity in dry Western forests	This enhancement retains the beneficial effects of treatments that have been applied to restore ecological function in dry Western forests. It is implemented following a forest stand improvement treatment designed to restore variable and patchy conditions typical of benchmark ecological sites After a restoration treatment, young trees often regenerate in numbers higher than desired, leading to increased fire risk and loss of wildlife habitat. The enhancement will address follow-up activities needed for maintaining forest structure. Site conditions will be monitored and follow-up treatments recommended as needed. The enhancement protects investments in habitat creation by providing for follow-up activities that require the expertise of a forester or wildlife biologist.	acre	2 10	5	No	Refer to MT CPS 666 standard, specification and jobsheet.	
<u> 1888</u>	PLANT, ANIMAL	Wildfire Hazard from Biomass Accumulation, Terrestrial Habitat for Wildlife and Invertebrates			х	х	Creating structural diversity in dry Western forests	Restore natural stand structure in dry Western forests by creating openings characteristic of reference ecological site conditions in stands where even thinning treatments have already been applied to reduce wildfire risk. Thinning treatments are effective in reducing fuels, but typically do not restore forest structural diversity to emulate benchmark or reference conditions. Applying this enhancement as a follow-up treatment will create a patchy structure that provides open areas where grasses and forbs can thrive and produce wildlife food and cover. The size, shape, and arrangement of openings will be based on moisture availability and site physiography, to emulate structural conditions that would result from natural disturbance regimes of wind and/or fire.	acre	2 10	1	No	Refer to MT CPS 666 standard, specification and jobsheet.	
E6660	ANIMAL	Terrestrial Habitat for Wildlife and Invertebrates			х	х	X Snags, den trees, and coarse woody debris for wildlife habitat	Improve wildlife habitat through creation and retention of snags, den trees, forest stand structural diversity, and coarse woody debris on the forest floor, to provide cover/shelter for native wildlife species.		2 10	1	NA	Refer to MT CPS 666 standard, specification and jobsheet and State Best management Practices for water quality. Consult with NRCS biologist for guidelines for amount and spacing of snags, dens, and coarse woody debris. Use Biology Tech Note MT-19 <i>Wildlife Habitat Evaluation Guides for Montana</i> for species of concern.	Prior to implementation, participant will work

FY 2020 Page 14 of 15

Code	Resource Concern	Resource Concern Cause	Crop Crop	(Ferennial) Pasture Range	Forest Associated	Full Enhancement Name	Enhancement Description	Units	Enhancement Lifespan Max years enh. can be	Suitable for Land Use	Montana Supplemental Information - Refer Questions to NRCS Area and State Discipline Leads.	Changes from 2020 to 2021; Highlighted blocks delienate new changes with red font indicating the change.
E666P	ANIMAL	Terrestrial Habitat for Wildlife and Invertebrates			x x	X Summer roosting habitat for native forest dwelling bat species	Create new potential roost trees within upland and riparian forests to achieve desired summer habitat for forest-dwelling bat species.	acre	10 1	NA	Refer to MT CPS 666 standard, specification and jobsheet. Consult with NRCS biologist for minimum criteria to meet the habitat requirements of the bat species of concern while avoiding potentially detrimental disturbances during the maternity period, and guidelines for roost tree species and species groups to determine spacing, density, size-class distribution, and amount of understory species to be retained. Use Biology Tech Note MT-19 <i>Wildlife Habitat Evaluation Guides for Montana</i> for species of concern.	

FY 2020 Page 15 of 15